



\* All images in this datasheet are for illustrative purposes only.

## UL3J Series

# LG webOS UHD Signage



Superb Picture Quality  
with Ultra HD Resolution



Sophisticated  
Slim Design



High-Performance  
with webOS 6.0



Various Sensor  
Connection




Compatible with  
**LG One:Quick** | Share



Compatible with  
AV Control Systems


### UL3J Series

|                           |                                                                   |
|---------------------------|-------------------------------------------------------------------|
| Sizes                     | 86" / 75" / 65" / 55" / 50" / 43"                                 |
| Screen Resolution         | 3,840 x 2,160 (UHD)                                               |
| Operation Time            | 16 Hours / 7 Days                                                 |
| Brightness                | 86" / 75": 330 nits<br>65" / 55" / 50": 400 nits<br>43": 300 nits |
| LG Solution Compatibility | LG One:Quick Share, LG ConnectedCare,<br>LG SuperSign CMS/Control |



## SUPERB PICTURE QUALITY WITH ULTRA HD RESOLUTION

With Ultra HD resolution, the color and details of the content are vivid and realistic. In addition, the wide viewing angle of LG's IPS panel allows for people to observe from virtually any viewing angle.



## SOPHISTICATED SLIM DESIGN

This series is thin in bezel size and thickness\*, which saves space and enables easy installation. In addition, it increases the immersive experience from the screen and provides a sophisticated design, improving the décor of the space where the product is installed.

\* Compared to LG's UL3G series



## HIGH-PERFORMANCE WITH LG webOS 6.0

LG's webOS Signage 6.0 implemented using our System-on-Chip design enables smooth execution of several tasks and custom apps.



## VARIOUS SENSOR CONNECTIVITY

LG webOS smart signage platform helps to easily provide value-added solutions by supporting simple connections with external sensors\* such as GPIO, NFC/RFID, temperature sensors, etc., via USB plug-in.

\* External sensors need to be purchased separately and tested for compatibility with webOS platform.






## COMPATIBLE WITH VIDEO CONFERENCE SYSTEMS

For effective visual meeting, the UL3J series supports its compatibility with Cisco solutions that offers powerful and integrated control\* for a smarter video conference.

\* Using an HDMI cable connection (HDMI cable is optional)



## THE LG WIRELESS SCREEN SHARING ACCESSORY **LG One:Quick** | Share

LG One:Quick Share is a wireless screen sharing solution\* compatible with the UL3J series, USB transmission unit, and its app. You can simply share personal PC screen to the display by connecting directly using embedded Wi-Fi. You can adjust the basic setting values (volume, picture mode, auto bright, etc.) of the connected display without a remote control. Also, the Office Meeting can display the agenda and important notes before the meeting starts.

\* LG One:Quick Share needs to be purchased separately.

\*\* Users can enable Office Meeting Mode at EZ Setting Menu of the Signage.




## REMOTE MONITORING AND CONTROL

This web-based monitoring solution enables you to monitor the UL3J, make adjustments and control the unit remotely in real time while also providing access to both current and past performance data.



## COMPATIBLE WITH AV CONTROL SYSTEMS

The UL3J series supports Crestron Connected® for compatibility with professional AV controls to achieve virtually seamless integration and automated network-based control.



## EASY MENU SETUP FOR VERTICAL NEEDS

Feature menus are organized based on preset industry configurations moving the most commonly-used features to the top of the menu based on the environment you select.



## BUILT-IN SPEAKERS

Contents will be enriched with sound effects from built-in speakers without the need for purchasing or installing external speakers.





## EASY CONTENT DISTRIBUTION & SW UPDATE

The UL3J series features embedded Wi-Fi making it easy to distribute content wirelessly and update Firmware under the same network.



## WIRELESS ACCESS POINT

UL3J series operates as a virtual router which can be a wireless access point for mobile devices.



## REAL-TIME LG ConnectedCare SERVICE

Maintenance is easy and fast with the optional LG ConnectedCare\* service, a cloud service solution provided by LG. It remotely manages the status of displays in client workplaces for fault diagnosis and remote-control services, supporting the stable operation of clients' businesses.

\* The availability of the service differs by region, and it needs to be purchased separately. So please contact the LG sales representative in your region for more details.



## EPEAT REGISTERED


The Electronic Product Environmental Assessment Tool (EPEAT) is a method for several layers of customers to evaluate the effect of a product on the environment. UL3J-E models are EPEAT Bronze certified displays (does not include 86UL3J-B).

\* Registered on April, 2021

## CONNECTIVITY


75" / 65" / 55" / 50" / 43"

Rear



\* Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.

Side



| PANEL        |                                 | 86UL3J-B                                      | 75UL3J-E                                     | 65UL3J-E                                     | 55UL3J-M                                     | 50UL3J-M                                     | 43UL3J-M                                    |
|--------------|---------------------------------|-----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|---------------------------------------------|
|              | Screen Size                     | 86"                                           | 75"                                          | 65"                                          | 55"                                          | 50"                                          | 43"                                         |
|              | Panel Technology                | IPS                                           | IPS                                          | IPS                                          | IPS                                          | IPS                                          | IPS                                         |
|              | Back Light Type                 | Direct                                        | Direct                                       | Direct                                       | Direct                                       | Direct                                       | Direct                                      |
|              | Aspect Ratio                    | 16:9                                          | 16:9                                         | 16:9                                         | 16:9                                         | 16:9                                         | 16:9                                        |
|              | Native Resolution               | 3840 x 2160 (UHD)                             | 3840 x 2160 (UHD)                            | 3840 x 2160 (UHD)                            | 3840 x 2160 (UHD)                            | 3840 x 2160 (UHD)                            | 3840 x 2160 (UHD)                           |
|              | Refresh Rate                    | 120 Hz                                        | 60 Hz                                        | 60 Hz                                        | 60 Hz                                        | 60 Hz                                        | 60 Hz                                       |
|              | Brightness (Typ.)               | 330 nits                                      | 330 nits                                     | 400 nits                                     | 400 nits                                     | 400 nits                                     | 300 nits                                    |
|              | Contrast Ratio                  | 1200:1                                        | 1200:1                                       | 1200:1                                       | 1200:1                                       | 1200:1                                       | 1200:1                                      |
|              | Dynamic CR                      | 1,000,000:1                                   | 1,000,000:1                                  | 1,000,000:1                                  | 1,000,000:1                                  | 1,000,000:1                                  | 1,000,000:1                                 |
|              | Color gamut                     | DCI 80%                                       | DCI 80%                                      | DCI 80%                                      | DCI 80%                                      | DCI 80%                                      | DCI 80%                                     |
|              | Viewing Angle (H x V)           | 178° x 178°                                   | 178° x 178°                                  | 178° x 178°                                  | 178° x 178°                                  | 178° x 178°                                  | 178° x 178°                                 |
|              | Color Depth                     | 1.07Billion colors(8bit + FRC)                | 1.07 Billion colors (8bit + FRC)             | 1.07 Billion colors (8bit + FRC)             | 10bit, 1.07 Billion colors                   | 10bit, 1.07 Billion colors                   | 10-bit (D), 1.07 Billion colors             |
|              | Response Time (G to G)          | 5 ms                                          | 8 ms                                         | 8 ms                                         | 8 ms                                         | 12 ms                                        | 8 ms                                        |
|              | Surface Treatment (Haze)        | 3%                                            | 1%                                           | 1%                                           | 3%                                           | 3%                                           | 3%                                          |
|              | Lifetime                        | 30,000 Hours                                  | 30,000 Hours                                 | 30,000 Hours                                 | 30,000 Hours                                 | 30,000 Hours                                 | 30,000 Hours                                |
|              | Operation Hours (Hours/Days)    | 16/7                                          | 16/7                                         | 16/7                                         | 16/7                                         | 16/7                                         | 16/7                                        |
|              | Portrait / Landscape            | Landscape Only                                | Yes / Yes                                    | Yes / Yes                                    | Yes / Yes                                    | Yes / Yes                                    | Yes / Yes                                   |
| SOUND        | Built-in Speaker                | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
| CONNECTIVITY | HDMI 1.4 In                     | Yes (x3), HDCP 2.2                            | Yes (x3), HDCP 2.2                           | O(3), HDCP2.2/1.4                            | O(3), HDCP2.2/1.4                            | O(3), HDCP2.2/1.4                            | O(3), HDCP2.2/1.4                           |
|              | RS-232C In                      | 3.5mm Stereo (4-pin)                          | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                        |
|              | RJ45 (LAN)                      | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | USB 2.0 Type-A                  | Yes (x2)                                      | Yes (x2)                                     | Yes (x2)                                     | Yes (x2)                                     | Yes (x2)                                     | Yes (x2)                                    |
|              | Audio Out                       | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | RS-232C Out                     | 3.5mm Stereo (4-pin)                          | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                         | 3.5mm Stereo (4-pin)                        |
| MECHANICAL   | Bezel Color                     | Navy Blue (Near Black)                        | Navy Blue (Near Black)                       | Navy Blue (Near Black)                       | Navy Blue (Near Black)                       | Navy Blue (Near Black)                       | Navy Blue (Near Black)                      |
|              | Bezel Width (Off Bezel)         | 6.9 / 6.9 / 6.9 / 18.4 mm                     | 7.9 / 7.9 / 7.9 / 18.4 mm                    | 6.8 / 6.8 / 6.8 / 18.4 mm                    | 6.9 / 6.9 / 6.9 / 18.4 mm                    | 7.3 / 7.3 / 7.3 / 18.4 mm                    | 6.9 / 6.9 / 6.9 / 18.4 mm                   |
|              | Bezel Width (On Bezel)          | 15.9 / 15.9 / 15.9 / 19.9 mm                  | 13.9 / 13.9 / 13.9 / 19.9 mm                 | 12.8 / 12.8 / 12.8 / 19.9 mm                 | 12.8 / 12.8 / 12.8 / 19.9 mm                 | 12.8 / 12.8 / 12.8 / 19.9 mm                 | 12.8 / 12.8 / 12.8 / 19.9 mm                |
|              | Weight                          | 99.6 lbs / 45.2 kg                            | 68.3 lbs / 31.4 kg                           | 47.4 lbs / 21.5 kg                           | 30.9 lbs / 14 kg                             | 25.8 lbs / 11.7 kg                           | 19.4 lbs / 8.8 kg                           |
|              | Shipping Weight                 | 127.2 lbs / 57.7 kg                           | 88.8 lbs / 40.3 kg                           | 60.6 lbs / 27.5 kg                           | 41.4 lbs / 18.8 kg                           | 32.2 lbs / 14.6 kg                           | 24.0 lbs / 10.9 kg                          |
|              | Dimensions (W x H x D)          | 75.9 x 43.5 x 2.4 in<br>1927 x 1104 x 59.9 mm | 66.1 x 38.0 x 2.4 in<br>1678 x 964 x 59.9 mm | 57.2 x 33.0 x 2.3 in<br>1454 x 838 x 57.7 mm | 48.6 x 28.1 x 2.6 in<br>1235 x 715 x 57.5 mm | 47.8 x 25.6 x 2.2 in<br>1215 x 651 x 57.1 mm | 38.1 x 22.2 x 2.2 in<br>967 x 564 x 57.1 mm |
|              | Shipping Dimensions (W x H x D) | 83.3 x 47.8 x 9.0 in<br>2115 x 1215 x 228 mm  | 71.7 x 43.9 x 7.9 in<br>1820 x 1115 x 200 mm | 63.0 x 38.2 x 6.8 in<br>1600 x 970 x 172 mm  | 53.5 x 31.9 x 6.4 in<br>1360 x 810 x 162 mm  | 47.8 x 30.5 x 6.0 in<br>1215 x 775 x 152 mm  | 41.5 x 26.0 x 5.6 in<br>1055 x 660 x 142 mm |
|              | Handle                          | No                                            | No                                           | No                                           | No                                           | No                                           | No                                          |
|              | Stand                           | No                                            | No                                           | No                                           | No                                           | No                                           | No                                          |
|              | VESA™ Standard Mount Interface  | 600 x 400                                     | 400 x 400                                    | 300 x 300                                    | 300 x 300                                    | 200 x 200                                    | 200 x 200                                   |
| FEATURES     | Internal Memory                 | 8 GB                                          | 8 GB                                         | 8 GB                                         | 8 GB                                         | 8 GB                                         | 8 GB                                        |
|              | Built-in Wi-Fi                  | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | Temperature Sensor              | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | Auto Brightness sensor          | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | Local Key Operation             | Yes<br>(Power On/Off only)                    | Yes<br>(Power On/Off only)                   | Yes<br>(Power On/Off only)                   | Yes<br>(Power On/Off only)                   | Yes<br>(Power On/Off only)                   | Yes<br>(Power On/Off only)                  |
|              | Fanless Design                  | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | webOS ver.                      | webOS6.0                                      | webOS 6.0                                    | webOS 6.0                                    | webOS 6.0                                    | webOS 6.0                                    | webOS 6.0                                   |
|              | Local Contents Scheduling       | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | Group Manager                   | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | USB Plug & Play                 | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | Fail over                       | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | Bootting Logo Image             | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | No Signal Image                 | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |
|              | RS-232C Sync                    | Yes                                           | Yes                                          | Yes                                          | Yes                                          | Yes                                          | Yes                                         |

| FEATURES                |                                        | 86UL3J-B                                                                                                                                                                                                                              | 75UL3J-E                       | 65UL3J-E                       | 55UL3J-M                       | 50UL3J-M                       | 43UL3J-M                       |
|-------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
|                         | Local Network Sync                     | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Screen Share                           | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Video Tag                              | Yes (4, Max One HDMI input)                                                                                                                                                                                                           | Yes (4, Max One HDMI input)    | Yes (4, Max One HDMI input)    | Yes (4, Max One HDMI input)    | Yes (4, Max One HDMI input)    | Yes (4, Max One HDMI input)    |
|                         | Play via URL                           | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Screen Rotation                        | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | External Input Rotation                | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Gapless Playback                       | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Setting Data Cloning                   | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | SNMP                                   | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | ISM Method                             | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Auto Set ID                            | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Status Mailing                         | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Control Manager                        | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Crestron Connected                     | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Smart Energy Saving                    | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | PM mode                                | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Wake on LAN                            | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Network Ready                          | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Beacon                                 | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | HDMI-CEC                               | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | SI Server Setting                      | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | webRTC                                 | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Pro.Idiom                              | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
| POWER & ENVIRONMENT     | Operation Humidity                     | 10% to 80%                                                                                                                                                                                                                            | 10% to 80%                     | 10% to 80%                     | 10% to 80%                     | 10% to 80%                     | 10% to 80%                     |
|                         | Power Supply                           | 100 to 240 Vac, 50/60 Hz                                                                                                                                                                                                              | 100 to 240 Vac, 50/60 Hz       | 100 to 240 Vac, 50/60 Hz       | 100 to 240 Vac, 50/60 Hz       | 100 to 240 Vac, 50/60 Hz       | 100 to 240 Vac, 50/60 Hz       |
|                         | Power Type                             | Built-In Power                                                                                                                                                                                                                        | Built-In Power                 | Built-In Power                 | Built-In Power                 | Built-In Power                 | Built-In Power                 |
|                         | Power Consumption (Typ.)               | 220 W<br>751 BTU/Hr                                                                                                                                                                                                                   | 155 W 528.88 BTU/Hr            | 130 W 443.578 BTU/Hr           | 105 W 358.274 BTU/Hr           | 105 W 358.274 BTU/Hr           | 80 W 273 BTU/Hr                |
|                         | Power Consumption (Max.)               | 300 W<br>1024 BTU/Hr                                                                                                                                                                                                                  | 220 W<br>750.67 BTU/Hr         | 187 W<br>638.071 BTU/Hr"       | 160 W<br>545.943 BTU/Hr        | 150 W<br>511.821 BTU/Hr        | 120 W<br>409 BTU/Hr            |
|                         | Smart Energy Saving (70%)              | 154 W                                                                                                                                                                                                                                 | 108.5 W                        | 91 W                           | 73.5 W                         | 66 W                           | 56 W                           |
|                         | DPM                                    | 0.5 W                                                                                                                                                                                                                                 | 0.5 W                          | 0.5 W                          | 0.5 W                          | 0.5 W                          | 0.5 W                          |
|                         | Power off                              | 0.5 W                                                                                                                                                                                                                                 | 0.5 W                          | 0.5 W                          | 0.5 W                          | 0.5 W                          | 0.5 W                          |
|                         | Operation Temperature                  | 32°F to 104°F<br>0°C to 40°C                                                                                                                                                                                                          | 32°F to 104°F<br>0°C to 40°C   | 32°F to 104°F<br>0°C to 40°C   | 32°F to 104°F<br>0°C to 40°C   | 32°F to 104°F<br>0°C to 40°C   | 32°F to 104°F<br>0°C to 40°C   |
|                         | Operation Temperature (Portrait Scene) | n/a                                                                                                                                                                                                                                   | 32°F to 95°F<br>0°C to 35°C"   | 32°F to 95°F<br>0°C to 35°C    | 32°F to 95°F<br>0°C to 35°C    | 32°F to 95°F<br>0°C to 35°C    | 32°F to 95°F<br>0°C to 35°C    |
| CERTIFICATION           | FCC Class "A" (Regulatory)             | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | CE (Regulatory)                        | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | ErP / Energy Star (Environmental)      | Yes / Yes                                                                                                                                                                                                                             | Yes / Yes                      | Yes / Yes                      | Yes / Yes                      | Yes / Yes                      | Yes / Yes                      |
|                         | ePEAT (US only) (Environmental)        | No                                                                                                                                                                                                                                    | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         |                                        |                                                                                                                                                                                                                                       |                                |                                |                                |                                |                                |
| LG SOFTWARE & SERVICES* | SuperSign CMS                          | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | SuperSign Control / Control+           | Yes / Yes                                                                                                                                                                                                                             | Yes / Yes                      | Yes / Yes                      | Yes / Yes                      | Yes / Yes                      | Yes / Yes                      |
|                         | SuperSign White Balance                | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | SuperSign Media Editor                 | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
|                         | Promota                                | Yes (Not available for EU/CIS)                                                                                                                                                                                                        | Yes (Not available for EU/CIS) | Yes (Not available for EU/CIS) | Yes (Not available for EU/CIS) | Yes (Not available for EU/CIS) | Yes (Not available for EU/CIS) |
|                         | Signage 365 Care                       | Yes                                                                                                                                                                                                                                   | Yes                            | Yes                            | Yes                            | Yes                            | Yes                            |
| WARRANTY & ACCESSORIES  | Warranty                               | 3 Year Limited                                                                                                                                                                                                                        | 3 Year Limited                 | 3 Year Limited                 | 3 Year Limited                 | 3 Year Limited                 | 3 Year Limited                 |
|                         | Onscreen Display Languages             | English, French, German, Spanish, Italian, Korean, Chinese(Simplified), Chinese(Original), Portugues(Brazil), Swedish, Finnish, Norwegian, Danish, Russian, Japanese, Portugues(Europe), Dutch, Czech, Greek, Turkish, Arabic, Polski |                                |                                |                                |                                |                                |
|                         | Accessories                            | Remote Control (w/ 2 batteries), Power Cord, Regulation Book, Phone to D-Sub9 Adapter, Cable Holder                                                                                                                                   |                                |                                |                                |                                |                                |

\* Signage 365 Care, Promota, SuperSign CMS, Control+, and Media Editor are optional paid software/services.

