



## NovoConnect NC-X500

An easy-to-connect wireless  
presentation solution

### Overview

NovoConnect NC-X500 is a wireless presentation solution, allowing up to 4 users to share their screens and 64 users to connect simultaneously. Its low-latency mirroring, extended desktop functionality, and file sharing capability facilitate seamless collaboration. In addition, its cloud-based device management offers great flexibilities, such as firmware update & remote assist.





## Key Features

### Wireless Presentation



- Screen Mirroring: Airplay, Google Cast, & Miracast
- Windows | MacOS | Chromebook | Ubuntu
- Extended desktop
- File & video sharing



Screen Mirroring



Extended screen  
(serve as the secondary screen to User's laptop)



Primary screen  
(User's laptop)

Extended Desktop

### 4 Split Screens with FHD Resolution



- 4 split screens in 1080p resolution
- Up to 64 participants can be connected simultaneously






**BYOM**

BYOM (Bring Your Own Meeting) allows users to seamlessly connect their devices to in-room AV equipment (such as camera) via Wi-Fi, making meetings and presentations more convenient and productive.



**Cloud-based Device Management**

- Managing devices by groups
- Firmware update
- Remote assist – view and click on the device screen in the cloud




Dashboard, Device snapshot & Remote control



**NT Live Receiver**

NT Live Receiver receives screen broadcast from an “NT Live” source, such as a NovoTouch panel.



**System Integration**

The SysControl network-based control protocol allows NovoConnect devices to be integrated with third-party control systems, enabling remote management and control of device functions, including power on/off, volume adjustment, and more.



## Product Specifications-Hardware

Model	NC-X500
Storage	Internal: 16GB
	External: MicroSD Card (Up to 32GB), USB Drive (Up to 32GB)
Display Output	HDMI-Out v2.0 (HDCP v2.2 Compliant)
Display Resolution	3840 x 2160 (16:9, UHD 4K@60fps)
Display Orientation	Landscape & Portrait
Ethernet	RJ45 (10/100/1000 Mbps)
Wi-Fi	Wi-Fi: 802.11 b/g/n/ac (2.4GHz & 5GHz), 2T2R
Input Connection Ports	USB(x3)
	MicroSD Slot
Audio Output	Audio-Out (3.5mm)
Dimensions (WxDxH)	96 x 105 x 28mm (3.8' x 4.13' x 1.10')
Weight	316g (11.1oz)
Power Supply	DC jack: 5V/2A, 10W

## Product Specifications-Software

Software	NC-X500	
OS Supported	Windows	Window 10+
	MacOS	MacOS 11+
	Android	Android 11+
	iOS	iOS 14+
	Chrome Book	O
Connection Method	Desktop Software	Windows & Mac
	Android/iOS App	Android/iOS
	Airplay	O
	GoogleCast	O
	Miracast	Windows 10+
Management Tool	Desktop Software	Windows
	Cloud Service	O
Build-in Apps	Google Play Store	O
	NT Live Screen	O



Visit [www.vivitekcorp.com](http://www.vivitekcorp.com) for more product info  
Copyright (c) 2024 Delta Electronics, Inc. All Rights Reserved

A brand of  **DELTA**